



DRILLING ACCESSORIES 2026



ABOUT US

ATF Supplies Ltd is a leading independently owned business supplying a wide range of products to the construction and joinery industries.

Established in 2001. We are based in Middlesbrough and will deliver to most areas of the North East for free, with no order too big or too small!

This brochure includes just a small selection of our product range so please get in touch if you cannot find what you are looking for.

HOW TO CONTACT US?

By Telephone - 01642 457004
By Email - sales@atfsupplies.com

We can happily come and meet you should you require any on site help.

CONTENTS

Product	Page
Masonry Drill Bits	1-2
HSS Drill Bits	3-4
Cutters & Step Drills	4
Tile & Glass Drill Bits	5
Wood Drill Bits	6
Holesaws & Accessories	7

SDS DRILL BITS



SDS Drill

Suitable for use in rotary hammers with the SDS plus tool system.

Code	Ø (mm)	Length (mm)	Code	Ø (mm)	Length (mm)
ADMS.1000	4.0	160	ADMS.1185	12.0	1000
ADMS.1010	5.0	160	ADMS.1190	13.0	260
ADMS.1015	5.0	210	ADMS.1195	14.0	160
ADMS.1025	5.5	160	ADMS.1200	14.0	210
ADMS.1030	5.5	210	ADMS.1215	14.0	450
ADMS.1040	6.0	160	ADMS.1220	14.0	1000
ADMS.1045	6.0	210	ADMS.1225	16.0	160
ADMS.1050	6.5	160	ADMS.1230	16.0	210
ADMS.1055	6.5	210	ADMS.1235	16.0	300
ADMS.1060	6.5	260	ADMS.1240	16.0	450
ADMS.1070	7.0	160	ADMS.1245	16.0	600
ADMS.1075	7.0	210	ADMS.1250	16.0	1000
ADMS.1085	8.0	160	ADMS.1255	18.0	200
ADMS.1090	8.0	210	ADMS.1265	18.0	300
ADMS.1095	8.0	260	ADMS.1270	18.0	450
ADMS.1100	8.0	450	ADMS.1290	20	210
ADMS.1115	10.0	160	ADMS.1295	20	300
ADMS.1120	10.0	210	ADMS.1300	20	450
ADMS.1125	10.0	260	ADMS.1305	20.0	600
ADMS.1135	10.0	450	ADMS.1310	20.0	1000
ADMS.1140	10.0	600	ADMS.1315	22.0	250
ADMS.1145	10.0	1000	ADMS.1320	22.0	450
ADMS.1155	12.0	160	ADMS.1335	24.0	1000
ADMS.1160	12.0	210	ADMS.1340	25.0	260
ADMS.1170	12.0	310	ADMS.1345	25.0	450
ADMS.1175	12.0	450	ADMS.1350	25.0	1000
ADMS.1180	12.0	600			

SDS Chisels

Used mainly for light demolition, chiselling, stripping plaster, mortar chasing, channelling and breaking through brickwork.

Code	Ø (mm)	Length
ADMS.1355	14	250
ADMS.1360	22	250
ADMS.1365	40	250





SDS Max

For drilling large diameter holes in concrete, stone and masonry. Suitable for use in large rotary hammers with the SDS Max tool holder system.

Code	Ø (mm)	Length (mm)
ADMM.1000	12	340
ADMM.1005	12	540
ADMM.1010	14	340
ADMM.1015	14	540
ADMM.1020	16	340
ADMM.1025	16	540
ADMM.1030	18	340
ADMM.1035	18	540
ADMM.1040	18	690
ADMM.1045	18	920
ADMM.1050	20	340
ADMM.1055	20	540
ADMM.1060	20	690
ADMM.1065	20	920
ADMM.1070	22	340
ADMM.1075	22	540

Code	Ø (mm)	Length (mm)
ADMM.1080	22	690
ADMM.1085	22	950
ADMM.1090	24	340
ADMM.1095	24	540
ADMM.1100	25	340
ADMM.1105	25	540
ADMM.1110	25	690
ADMM.1115	25	920
ADMM.1120	26	340
ADMM.1125	26	540
ADMM.1130	28	340
ADMM.1135	28	540
ADMM.1140	30	340
ADMM.1145	30	540
ADMM.1150	32	340
ADMM.1155	32	540



Masonry Drill Bit

A premium quality masonry bit for use in cordless and corded drill drivers in both rotary and hammer action. Ideal for drilling brick, block and concrete.

Code	Ø (mm)	Length (mm)
ADMN.1000	5.0	150
ADMN.1005	5.5	150
ADMN.1010	6.0	150
ADMN.1015	6.0	200
ADMN.1020	6.5	150
ADMN.1025	7.0	150
ADMN.1030	7.0	300
ADMN.1035	8.0	150
ADMN.1040	8.0	200
ADMN.1050	10.0	150
ADMN.1055	10.0	200
ADMN.1060	10.0	300
ADMN.1065	10.0	400
ADMN.1070	12.0	150
ADMN.1075	12.0	200
ADMN.1080	12.0	300
ADMN.1085	12.0	400

Code	Ø (mm)	Length (mm)
ADMN.1090	14.0	150
ADMN.1095	14.0	200
ADMN.1100	14.0	300
ADMN.1105	14.0	400
ADMN.1110	16.0	150
ADMN.1115	16.0	200
ADMN.1120	16.0	300
ADMN.1125	16.0	400
ADMN.1130	18.0	160
ADMN.1135	18.0	400
ADMN.1140	20.0	200
ADMN.1145	20.0	400
ADMN.1150	22.0	160
ADMN.1155	22.0	400
ADMN.1160	25.0	160
ADMN.1165	25.0	400

HSS DRILL BITS



HSS Drill Long Series

For drilling carbon and alloy steel cast iron, non-ferrous metal and plastics

Code	Ø (mm)	Length (mm)	Code	Ø (mm)	Length (mm)
ADSL.1000	2.0	85	ADSL.1030	4.5	126
ADSL.1005	3.0	100	ADSL.1035	5.0	132
ADSL.1010	3.2	106	ADSL.1040	5.5	139
ADSL.1015	3.5	112	ADSL.1045	6.0	139
ADSL.1020	4.0	119	ADSL.1050	7.0	156
ADSL.1025	4.2	119	ADSL.1055	8.0	165



HSS Drill

An economic HSS drill used for drilling steel aluminium and non-ferrous metals, as well as plastic.

Code	Ø (mm)	Length (mm)	Code	Ø (mm)	Length (mm)
ADSH.1000	1.0	34	ADSH.1075	6.5	101
ADSH.1005	1.5	40	ADSH.1080	7.0	109
ADSH.1010	2.0	49	ADSH.1085	7.2	109
ADSH.1015	2.5	57	ADSH.1090	7.5	109
ADSH.1020	3.0	61	ADSH.1095	8.0	109
ADSH.1025	3.2	65	ADSH.1100	8.5	109
ADSH.1030	3.5	70	ADSH.1105	9.0	125
ADSH.1035	4.0	75	ADSH.1110	9.5	125
ADSH.1040	4.2	75	ADSH.1115	10.0	133
ADSH.1050	4.5	80	ADSH.1120	10.5	133
ADSH.1055	4.8	86	ADSH.1125	11.0	142
ADSH.1060	5.0	86	ADSH.1130	11.5	142
ADSH.1065	5.5	93	ADSH.1135	12.0	151
ADSH.1070	6.0	93	ADSH.1140	12.5	151
			ADSH.1145	13.0	151



BlackSmith Drill Bits

Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance when drilling larger diameter holes into all non-alloy materials. Can be used in a 1/2" chuck.

Code	Ø (mm)	Length
ADSB.1000	14	152
ADSB.1005	15	152
ADSB.1010	16	152
ADSB.1015	18	152
ADSB.1020	20	152



Cobalt Jobber Drill Bit

Manufactured from a high quality M35 grade steel. Ideal for drilling holes into stainless steel and other alloy materials.

Code	Ø (mm)	Length
ADSC.1000	3.0	61
ADSC.1010	3.5	70
ADSC.1015	4.0	75
ADSC.1020	4.5	80
ADSC.1025	5.0	86
ADSC.1030	5.5	93
ADSC.1035	6.0	93
ADSC.1040	6.5	101
ADSC.1045	7.0	109
ADSC.1050	7.5	109
ADSC.1055	8.0	117
ADSC.1060	8.5	117
ADSC.1065	9.0	125
ADSC.1070	9.5	125
ADSC.1075	10.0	133
ADSC.1080	10.5	133
ADSC.1085	11.0	142
ADSC.1090	11.5	142
ADSC.1095	12.0	151
ADSC.1100	12.5	151

CUTTERS & STEP DRILL



HSS Cone Cutter

For drilling enlarging and de-burring holes in thin sheet metal up to a thickness of 2mm.

Code	Ø (mm)
ADSO.1000	3 - 14
ADSO.1005	5 - 20
ADSO.1010	5 - 31
ADSO.1015	16 - 31



HSS Step Drill

Ideal for drilling enlarging or de-burring a precise hole into thin materials such as alloy and non-alloy up to a thickness of 4mm.

Code	Ø (mm)
ADSS.1000	4 - 12
ADSS.1005	4 - 20
ADSS.1010	4 x 30
ADSS.1015	4 x 39

TILE & GLASS DRILL BITS



Dry Diamond Drill Bits

Ideal for drilling a clean hole into hard materials such as porcelain, ceramic, marble, granite and glass.

Code	Ø (mm)	Length
ADTD.1000	5.0	65
ADTD.1005	6.0	65
ADTD.1010	7.0	80
ADTD.1015	8.0	80
ADTD.1020	10.0	80



TCT Tile & Glass Bits

For accurate drilling of glass and ceramics. A lubricant such as water is recommended when drill glass.

Code	Ø (mm)	Length
ADTS.1000	5.0	70
ADTS.1005	6.0	75
ADTS.1010	6.5	75
ADTS.1015	7.0	80
ADTS.1020	8.0	80
ADTS.1025	10.0	100



TCT Multi- Purpose Drill Bits

Designed to drill steel, wood, masonry, PVCu, ceramics and concrete. Diamond-ground cutting edges allow fast drilling even in hard materials.

Code	Ø (mm)	Length
ADUS.1000	5.0	85
ADUS.1005	5.0	150
ADUS.1010	5.5	100
ADUS.1015	5.5	150
ADUS.1020	6.0	100
ADUS.1025	6.0	150
ADUS.1030	6.5	100
ADUS.1035	6.5	150
ADUS.1040	7.0	100
ADUS.1045	7.0	150
ADUS.1050	8.0	150
ADUS.1055	8.0	200
ADUS.1060	10.0	150
ADUS.1065	10.0	200

WOOD BITS



Flat Bits

The twin cutting edged and integral centre point enhances speed and provides rapid chip removal when drilling various types of timber and man-made boards.

Code	Ø (mm)	Length (mm)
ADWF.1000	6	152
ADWF.1005	8	152
ADWF.1010	10	152
ADWF.1015	12	152
ADWF.1020	13	152
ADWF.1025	14	152
ADWF.1030	15	152
ADWF.1035	16	152
ADWF.1045	18	152
ADWF.1050	19	152

Code	Ø (mm)	Length (mm)
ADWF.1055	20	152
ADWF.1060	22	152
ADWF.1065	24	152
ADWF.1070	25	152
ADWF.1075	26	152
ADWF.1080	28	152
ADWF.1085	30	152
ADWF.1090	32	152
ADWF.1095	35	152
ADWF.1100	38	152



Flat Wood Bit Extension

Used where there is restricted access and in conjunction with a 1/4" shank Flat Wood Bit.

Code	Length (mm)
ADWE.1000	300



Wood Auger Bit

A high performance wood drill for drilling a deep hole into various types of timber.

Code	Ø (mm)	Length (mm)
ADWG.1000	6	235
ADWG.1005	8	235
ADWG.1010	10	235
ADWG.1015	12	235
ADWG.1020	14	235
ADWG.1025	16	235
ADWG.1030	18	235

Code	Ø (mm)	Length (mm)
ADWG.1035	20	235
ADWG.1040	22	235
ADWG.1045	25	235
ADWG.1050	28	235
ADWG.1055	30	235
ADWG.1060	32	235



Brad Point Wood Bit

For filling small diameter holes into various types of timber and man-made board.

Code	Ø (mm)	Length (mm)
ADWS.1000	3.0	60
ADWS.1005	4.0	75
ADWS.1010	5.0	87
ADWS.1015	6.0	92

Code	Ø (mm)	Length (mm)
ADWS.1020	7.0	108
ADWS.1025	8.0	118
ADWS.1030	10.0	133
ADWS.1035	12.0	150

HOLESAWS & ACCESSORIES



Metal Holesaw

A variable pitch tooth pattern for efficient dust cleaning and gives superior cutting performance in wood, plastic, non-ferrous metals and man-made boards.

Code	Ø (mm)	Thread Mount	Arbor to suit
ADWH.1000	14	1/2	AA1
ADWH.1005	16	1/2	AA1
ADWH.1010	17	1/2	AA1
ADWH.1015	19	1/2	AA1
ADWH.1020	20	1/2	AA1
ADWH.1025	22	1/2	AA1
ADWH.1030	24	1/2	AA1
ADWH.1035	25	1/2	AA1
ADWH.1040	27	1/2	AA1
ADWH.1045	29	1/2	AA1
ADWH.1050	30	1/2	AA1
ADWH.1055	32	5/8	AA2
ADWH.1060	35	5/8	AA2
ADWH.1065	38	5/8	AA2
ADWH.1070	40	5/8	AA2
ADWH.1075	41	5/8	AA2
ADWH.1080	44	5/8	AA2
ADWH.1085	48	5/8	AA2
ADWH.1090	51	5/8	AA2
ADWH.1095	52	5/8	AA2

Code	Ø (mm)	Thread Mount	Arbor to suit
ADWH.1100	54	5/8	AA2
ADWH.1105	57	5/8	AA2
ADWH.1110	60	5/8	AA2
ADWH.1115	64	5/8	AA2
ADWH.1120	65	5/8	AA2
ADWH.1125	67	5/8	AA2
ADWH.1130	70	5/8	AA2
ADWH.1135	73	5/8	AA2
ADWH.1140	76	5/8	AA2
ADWH.1145	79	5/8	AA2
ADWH.1150	83	5/8	AA2
ADWH.1155	89	5/8	AA2
ADWH.1160	95	5/8	AA2
ADWH.1165	102	5/8	AA2
ADWH.1170	111	5/8	AA2
ADWH.1175	114	5/8	AA2
ADWH.1180	121	5/8	AA2
ADWH.1185	127	5/8	AA2
ADWH.1190	140	5/8	AA2
ADWH.1195	152	5/8	AA2

Holesaw Pilot Drills & Arbors

Holesaw arbors including pilot drill for use with holesaws.

Code	For Holesaw Ø (mm)	Shank (mm)	Thread Shank
ADWR.1000/A1	14.0-30.0	Hex 11	1/2"
ADWR.1005/A2	32.0-210.0	Hex 11	5/8"

Code	Description	Ø (mm)	Total Length
ADWP.1000	HSS Pilot Drill	6.35	75

